Trash Burning in lowa

Trash Burn Workgroup October 12, 2006

Trash burning - What is it?



Trash burning = Burning of residential waste in the open air (e.g. burning on the ground or in a burn barrel)



Residential waste = "Refuse" generated on the premises as a result of residential activities.



Residential waste does <u>not</u> include:

- Tires
- Trade wastes
- Garbage (animal & veg food products)
- Recyclable goods
 & plastics (more on this later).



Residential Trash Burning

Challenge:

- Can we reduce trash burning in lowa, and should we?
- What is the best way to accomplish this?



Objectives

- Identify reasons for trash burning
- Recognize how trash burning pollutes the air
- Review state rules for trash burning
- Discuss health impacts of trash burning

Objectives – con't

- Improve understanding of safety & liability issues.
- Review past education and outreach efforts
- lowa Trash Burning Survey Results and findings
- Consider the connection trash burning, waste disposal and recycling

Reasons for Trash Burning

- Habit
- Convenience
- Economics Cost of landfilling or recycling.
- Perception that pollution, if any, is "gone with the wind."



Air Awareness


- Most people take air for granted
- Air is a substance that we consume every day – 1 gallon water v. 3800 gallons air
- Can survive 2-3 days without water, but only 15 minutes without air.

How Is Iowa's Air Quality?

- Most days good to moderate air
- Unhealthy air in Iowa every year--mainly particulate matter and ozone smog (e.g. Feb. 1st 3rd, 2005)


Smoke - What is it?

- Soot, tar, and ash are the solid "bits" of particles you can often see formed from chemical reactions in the plume or remnant of flaming combustion.
- Vapors and gases are formed during incomplete combustion and generally cannot be seen.



Smoke - What is it?


- Soot, tar, and ash
 air pollution =
 particulate (PM) &
 some air toxics
- Vapors and gases
 air pollution =
 carbon monoxide
 (CO), hydrocarbons
 (VOC), sulfur
 dioxide (SO₂) and
 Nitrogen (NO_x) & air
 toxics



How does air pollution from trash burning compare to other sources of air pollution (i.e. industry, cars etc,)?

We can the compare the "criteria" pollutants emitted at these sources. "Criteria" pollutants are those for which EPA has set health standards.

Emissions Comparison - 2002




If trash burning pollution is so much less than other pollution, why do we care?

- Trash burning occurs at ground level.
- Trash burning may occur under poor conditions, such as inversion (cold air is trapped under warm air = no dispersion of air pollutants).
- Trash burning often occurs within residential neighborhoods.
- Trash burning occurs at thousands of locations throughout the state.
- All these factors combine to potentially expose the public to harmful levels of air pollutants.

Smoke

We have known for many years that it causes:

- -Watery Eyes
- -Irritated Respiratory Tract
- Reduced Lung Function
- Increased Hospital Visits



Iowa Open Burning Regulations

- Have recognized for more than 30 years that open burning causes air pollution.
- Regulations generally ban open burning [567 lowa Administrative Code (IAC) 23.2].
- Several exceptions, including an exception to allow burning of residential waste.
- Alternative such as recycling and trash pickup not as widely available in the past.

Open Burning Regulations

- Burning of "locally recyclable goods or plastics" is not allowed
 - Added to state rules in mid-1990's
 - Not well understood
- Trash burning is banned in greater Des Moines, Cedar Rapids and Council Bluffs in the 1970's to meet the PM standard.
- Trash burning has been banned in Polk County since 1983.

Open Burning Regulations


- Why now? Growing evidence on the health risks from open burning.
- Trash has changed! More plastics and synthetic materials containing chlorine & other toxins.
- Disposal options More alternatives to burning are now available.

Open Burning Regulations

- New federal regulations Need to consider open burning impacts in our implementation of the new standard for fine particulate (EPA finalized in September 2006).
- State rules could use a makeover!
 - Many of the terms used are 20-30 years old and are no longer as commonly used
 - Rules are in two different locations [Ch. 20 (definitions) & Ch. 23]
 - The rules are not easy to follow or to understand

Smoke

- Particulate matter (PM) is the pollutant of most concern
- Microscopic soot particles 2.5 microns in size (PM2.5) the most harmful.
- About the thickness of a human red blood cell
- Remain airborne for several weeks
- Dense concentrations visible as smoke or haze




Particulate Health Effects*

- Exposure increases hospitalization and emergency room visits
- Causes thousands of premature deaths annually in United States
- Can aggravate heart & lung diseases
- Asthmatic children exposed to high particulate pollution levels much more likely to develop bronchitis
- PM standards revised several times to adequately protect public health (most recently in September 2006). Many consider even the new standard to be inadequate

^{*}Source – U.S. EPA: More information available at http://www.epa.gov/oar/particlepollution/

Respirable Particulates



Groups at Greater Risk

- Athletes & active adults
- Outdoor workers
- The elderly
- Those with respiratory illnesses like asthma or those with heart disease
- Children

Air & Children

- Developing lungs and organs more susceptible to pollution
- Breathe more air per pound of body weight than adults
- Outdoors more breathing larger volumes of air
- Asthma The most common chronic disease for children

Asthma

Unknown medical cause, but smoke is a known trigger for an asthma attack. A severe asthma attack, if not treated immediately, can result in death.

Iowa Asthma Epidemic*

- Dramatic increase over last10 years
- lowa annual asthma:
 - 12,000 hospitalizations;
 - 40,000-50,000 ER visits;
 - 35,000-45,000 unscheduled office visits
- 200,000 lowans with asthma (50,000 under age 18)

*Source: Asthma in Iowa Surveillance Report (IDPH, January 2004)



Air Toxics & Health

- What are air toxics? Class of several hundred chemicals - 187 regulated.
- Trash burning produces benzene, styrene, formaldehyde, acrolein, dioxin and others.
- List of chronic health effects is long: Cancers, birth and genetic defects, impaired development of infants and children, reproductive problems, liver diseases and other serious health complications.
- Disease can take many years to develop.

What is Dioxin?*

- "Dioxin" is a group of chemicals including dioxin, furan and some PCBs
- Formed at low temps & oxygen-poor environment
- Formed from burning bleached paper, plastics and other products containing chlorine

*Source: U.S. EPA. More at www.epa.gov/msw/backyard/health




The ideal dioxin source?*

- Trash burning is the "perfect storm" for dioxin formation - low temps, low oxygen, chlorine (only a trace amount is needed), soot (PM) and metals.
- Trash burning is now the single largest source of dioxin in the country.

*Source: U.S. EPA. More at www.epa.gov/msw/backyard/health



One pound of trash (less than one burn barrel) burned here...



Emits as much dioxin as one ton of trash burned here:



Why are Dioxins a problem?

- Travels great distances, even impacting remote areas.
- Shown to be highly toxic in animal studies – even at extremely low levels.
- Affects reproduction & development, suppresses the immune system, cause rashes and skin ailments, miscarriages, birth defects, and may cause cancer.

Dioxin Concerns - con't

- Dioxin settles on plants and land, where it enters the food chain, becoming more concentrated at each step (bioaccumulation)
- People are exposed via their diet, through intake of animal fat and dairy products.

Trash Burning and Safety

- State Fire Marshall's office tracks data
- Reviewed data on outdoor fires at single homes and duplexes.
- Report includes burning grass, rubbish and trash burning at waste dumpsters

Trash Fire Report - Results

Year	Reports	Damages	Fatalities
- 2000	241	\$11,487	0
- 2001	360	\$1,169	1
- 2002	481	\$48,712	0
- 2003	402	\$4,850	2
- 2004	360	\$2,160,	4
- 2005	415	\$2,724	2

Yhat's being done?

Now that we know the health and safety concerns with trash burning, what's being done?

Trash burning – previous ban attempt

- In 2000, DNR proposed to ban trash and leaf burning.
- Not well received, for a variety of reasons, and proposed rulemaking was terminated.
- DNR instead decided to encourage the banning of trash and leaf burning at the local level.

Open Burning Education & Assistance

- DNR worked extensively with lowa communities on trash and leaf burning.
 - Presented at numerous city council meetings
 - Over 50,000 DNR open burning brochures distributed
 - Radio & TV spots, DNR website & State Fair
- With assistance from DNR & other groups, many lowa municipalities enacted their own bans on trash burning between 2000-2004.

Trash Burning - Where are we now?

- In late 2004 early 2005, Iowa DNR & DPH surveyed trash and leaf burning in all 948 Iowa municipalities.
- Nearly 90% response rate (n=853). ~95 cities did not complete the survey.
- At time of survey, nearly 87% of the cities responding still allowed leaf burning.
- Nearly 30% of the cities responding still allow trash burning.
- Trash burning is still common in many rural areas.

Open Burning Survey Key Findings

- One of five municipalities (~20%) discussed or attempted to enact tougher burning ordinances.
- One third (~30%) of all municipalities indicated that burning was a problem in their community (e.g. citizen complaints or concerns).
- Of those municipalities with a complete ban on trash burning, ~12% indicated that they did not enforce the ban.

Open Burning Survey Key Findings


- Population range of cities with a complete ban on trash burning: 24 – 194,311
- Population range of cities that still allow trash burning: 11 – 27,319
- At the time of the survey, Clinton (pop. 27,319) still allowed burning of residential mail/office paper.
- Without including Clinton, the population range of cities that still allow burning: 11 6,048

Trash Burning Survey – A Graphic View

Cities surveyed with population > 1000 that Allow Burning (~ 37 cities)




Cities surveyed with population > 500 that Allow Burning (~85 cities)



Curbside Recycling (from DNR Comprehensive Planning data)


Cities with Curbside Recycling



Trash burning, trash disposal, and recycling

(from survey and comp planning data)


Cities that have contracts with trash haulers that allow trash burning




Cities that may not have trash hauler contracts (pop. <10,000) that allow trash burning




Cities with curbside recycling that allow trash burning



Cities with curbside & drop off recycling that allow trash burning



Cities with curbside recycling and trash hauler contracts that allow trash burning



Thank You

- Q&A, discussion.
- Contact Information:

Christine Paulson

DNR Air Quality Bureau

515-242-5154

christine.paulson@dnr.state.ia.us

www.iowacleanair.com